

Neoplasia 2023/24

Lecture 1: Epidemiology and Nomenclature

Dr Heyam Awad, MD, FRCPPath



Welcome

ILOS of lecture 1

- 1. To understand the burden of cancer, worldwide and in Jordan.
- 2. To be aware that cancer can be prevented.
- 3. To realize that prevention and early detection are the most important factors in decreasing cancer burden.
- 4. To know the basic concepts about epidemiology of cancer.
- 5. To understand the basic nomenclature of neoplasia.

Extent of the problem

- Cancer is the **second** leading cause of death worldwide, after cardiovascular disease.
- Cancer burden includes :
 - morbidity (disease state) ,
 - mortality (death),
 - suffering due to pain or loss of body functions
 - economic costs
 - emotional problems.

WHO facts about cancer

- **Cancer is the second leading cause of death .Globally, nearly 1 in 6 deaths is due to cancer.**
- Approximately 70% of deaths from cancer occur in low- and middle-income countries.
- Around one third of deaths from cancer are due to the 5 leading behavioral and dietary risks: high body mass index, low fruit and vegetable intake, lack of physical activity, tobacco use, and alcohol use.
- Tobacco use is the most important risk factor for cancer and is responsible for approximately 22% of cancer deaths.

reference: <http://www.who.int/news-room/fact-sheets/detail/cancer>

Five behavioural factors responsible for a third of cancer deaths



No alcohol

VectorStock®

VectorStock.com/1748468

WHO website quote

“Cancer prevention”

-Between 30-50% of all cancer cases are preventable.


-Prevention offers the most cost-effective long-term strategy for the control of cancer.

Note

- Please note that treating cancer is ,in general, difficult, lengthy, costly and has many side effects, some of which can be lethal.
- So: **prevention and early detection** are our hope in defeating cancer.
- Prevention: via **educating** the public about the risk factors.
- Early detection: via **screening** and **educating** the public about the early symptoms of certain cancers.

Cancer epidemiology

USA



Comments on the previous slide

Note that:

- In the USA , the leading cause of cancer **death** in both sexes is **lung cancer**
- But the most **common** cancer in women is **breast** cancer and in men is **prostate** cancer.

Jordan

- National cancer registry collects data about cancer from ALL hospitals in the country.
- According to 2016 statistics (the latest published data) the most common cancer among Jordanian males is lung cancer followed by colorectal cancer
- According to 2016 statistics, the most common cancer among Jordanian females is breast followed by colorectal cancer.

Cancer in Jordan is increasing.

Figure (1) Trend of cancer in Jordan, 1992-2015




Table (7) Ten most common cancers among Jordanians, Males, 2016.

No	Site	Freq	%
1	Trachea, Bronchus, Lung	362	12.9
2	Colorectal	335	11.9
3	Prostate	234	8.3
4	Bladder	226	8.0
5	Non-Hodgkin lymphoma	153	5.4
6	Leukemia	127	4.5
7	Stomach	91	3.2
8	Larynx	85	3.0
9	Kidney	82	2.9
10	Brain, Nervous system	82	2.9

Table (8) Ten most common cancers among Jordanian Females, 2016.

No	Site	Freq	%
1	Breast	1263	39.7
2	Colorectal	308	9.7
3	Thyroid	202	6.3
4	Corpus Uteri	134	4.2
5	Non-Hodgkin lymphoma	111	3.5
6	Ovary	96	3.0
7	Trachea, Bronchus, Lung	86	2.7
8	Hodgkin disease	79	2.5
9	Brain, Nervous system	65	2.0
10	Stomach	58	1.8

Table (14) Mortality due to cancer types, both gender -2016

Cancer site	No.	%
Lung	465	15.1
Breast	314	10.2
Unknown primary	289	9.4
Colon & rectum	302	9.8
Leukemia	185	6.0
Pancreas	145	4.7
Non-Hodgkin Lymphoma	132	4.3
Stomach	126	4.1
Liver	138	4.5
Prostate	102	3.3
Brain & CNS	110	3.6
Uncertain behavior Neoplasm	166	5.4

- From the previous slides, you note that there are differences in cancer epidemiology among different countries.
- The reasons are related to both genetic and environmental factors.

Geographic and environmental factors

- Environmental factors are the **predominant** cause of cancer
- Geographic variations in cancer incidence are due to different life styles and to environmental factors
- When people move from one geographic area to another, subsequent generations acquire the same risk of cancer development as original population.
- Why subsequent generations: because it takes time for migrants to fully adapt the new country's life style!
- Example: Stomach cancer is common in Japan. Japanese who migrate to USA have lower incidence of gastric cancer than Japanese in Japan.

Effect of environmental factors/ an example

- Breast cancer in Japan is less than that in USA.
- Japanese immigrants to the USA acquire an increased incidence of cancer which is increased with each subsequent generation.
- Japanese born in the USA from immigrant parents have breast cancer incidence close to that of native USA population.

heredity

- Some cancers have inherited predisposition, but still the majority of these need environmental factors to develop cancer
- Only 5-10% of cancers are inherited.
- This inheritance is usually indirect and its effect is subtle




Cancer and age

- In general , frequency of cancer increases with age.
- Why: accumulation of mutations takes time! And immunity declines with ageing.
- However, cancer occurs in children. It is responsible for 10% of all deaths in children younger than 15 years.
- Most common childhood tumors: leukemias, lymphomas, CNS tumors and soft tissue and bone sarcomas.

Cancer and age.. USA data

Percent of New Cases by Age Group: Cancer of Any Site




Cancer of any site is most frequently diagnosed among people aged 65-74.

Median Age At Diagnosis

66

Figure (10) Top Five Pediatric Cancers percentages % by gender, Jordan, 2016.




Changing trends

- Cancer incidence and mortality can change according to treatments or to changes in environmental factors.
- Example 1: Colorectal cancer incidence has decreased in USA during the last decade due to awareness of risk factors and to screening programs. However in Jordan, Colorectal carcinoma is increasing.
- Example 2: Cervical cancer has decreased in the West due to screening (cervical smear tests).
- Example 3: Lung cancer was uncommon among women worldwide. But when more women started to smoke, lung cancer increased among them.

The language


- Neoplasm (ورم) means a new growth.
- Neoplasms can be benign (حميّ) or malignant (خبيث)
- Cancer is a malignant neoplasm.
- Tumour: usually used to mean a neoplasm, although strictly speaking tumour means a mass.
- Mass is a swelling, an increase in size, which can be neoplastic or non-neoplastic (swelling due to inflammation for example)

- Tumour is a term meaning a swelling due to any cause. it includes neoplastic and non-neoplastic conditions.
- Choristomas (described later) are masses (tumours) that are non-neoplastic.
- The difference between a neoplastic and non-neoplastic process is the presence of specific mutations in neoplasms.
- **HOWEVER**, in clinical practice most people use the term “tumour” for neoplasms.



Fun fact!

- Hippocrates was the first to name masses of cancerous cells karkinos — Greek for crab.
- Howard Markel, a medical historian, mentioned several hypotheses on why Hippocrates named the disease after a crab:
 1. Cancerous tumors are hard, like the shell of the crab
 2. they cause pain like when the crab pinches someone!
 3. they are difficult to remove surgically, like when the crab pinches and doesn't let go!




Benign VS malignant



Benign versus malignant neoplasms

- **Benign: innocent, localized, surgical excision possible, patient survives**
- **Malignant: can invade and destroy adjacent structures and can metastasize (spread to distant sites)**

Benign Versus Malignant Tumors



- Benign: Excessive proliferation; single mass
- Malignant: Cancer; invade surrounding tissue

Benign tumors

- A nevus is a benign tumor
- Nevi are common
- They are benign tumors of melanocytes
- They are innocent tumors that do not spread and do not kill.



Malignant tumors

- Melanoma is a malignant tumor of melanocytes
- Note how irregular this tumor is
- It invades adjacent tissue
- It can kill the patient



Every rule has exceptions!

- Some benign neoplasms can be dangerous (like brain tumors)
- Some malignant tumors are highly curable , e:g Hodgkin lymphoma

استقلالية= The language: tumour autonomy

- **Autonomy**: neoplasms are autonomous: they keep growing regardless of normal growth regulatory mechanisms.
- This autonomy is incomplete because they need host blood supply, hormones etc
- Neoplasms keep growing (like Suzan!)



استنساخ : The language, again: tumour clonality

- **Clonality**: neoplasms are clonal = they originate from one parent mutated cell.
- However, tumor cells are not carbon copies, and they accumulate different mutations as the tumor progresses, we will come to this later!




Nomenclature of tumours

- Tumours are named according to the tissue they arise from.
- Benign tumours arising from epithelial or stromal tissue are named by adding “oma” at the end.
- A benign tumour arising from fatty tissue is called: lipoma, from fibrous tissue: fibroma and so on.
- Malignant tumours arising from epithelial tissues are called carcinomas (adenocarcinoma, squamous cell carcinoma), whereas malignant tumours arising from stromal tissues are called sarcomas (osteosarcoma, fibrosarcoma)

Nomenclature of benign tumors

- Usually named by adding the suffix **oma** (Fibroma, chondroma, osteoma)

lipoma: benign tumour arising from fat tissue “lipid”




- Note that the tumour is well circumscribed and has regular borders. Under the microscope it is composed of fat tissue.

- What about benign tumours arising from glandular tissue? (see next slide for the definition of glandular epithelium)
- These are called adenomas
- Adenoma= benign epithelial neoplasm forming glands or neoplasm derived from glands.

Glandular epithelium

- True gland: cells surrounding a cavity and have secretory action
- E:g colonic glands (beautiful glands that look like Daisy flowers)




Adenoma/ colon, here the tumour is forming glands, and derived from glandular epithelium.

- Note : this is also called a polyp= الزوائد اللمحية (used more for macroscopic (gross) appearance, it means a mass projecting above the mucosa)




Adenoma/ adrenal gland

- In this example the tumor is derived from glandular epithelium (a gland)



polyp



- Polyp: mass projecting above mucosal surface.
- This is a nonspecific term, usually used for the **macroscopic** appearance (what you see with your eyes without the microscope)
- Usually benign but some malignant tumors can be polypoid.
- The term polyp also is used for non-neoplastic conditions like nasal polyps (inflammatory in nature)

Papilloma


- Papilloma= benign epithelial neoplasm producing macroscopic or microscopic finger like projections




Teratoma: a strange tumour!

- Is a mixed tumor containing elements of more than one germ cell layer.
- They originate from totipotential germ cells (in ovary or testis)

Teratoma: you can see any types of tissues mixed together




Teratoma: note the teeth!



hamartoma

- Mass of **disorganized** tissue **indigenous** to a particular site
- In this example: pulmonary hamartoma, there are tissues normally found in the lung (alveoli, cartilage..) but are not in the normal organization



NOTE

- Hamartomas were traditionally thought to be developmental malformations however, genetic studies demonstrated the presence of some **acquired translocations** suggesting a neoplastic nature

ورم اغترابي= Choristoma

- Heterotopic rests of cells, normal in appearance but present in an abnormal location
- Example: well organized pancreatic tissue present in the stomach.
- These are congenital anomalies, not true neoplasms.

choristoma= heterotopia

Here we see pancreatic tissue in the wall of the gall bladder




Figure 2. Hematoxylin and eosin stain of mass on gallbladder wall.

A. Islet of Langerhans: I: alpha cells; II: beta cells. B. Exocrine acini: III: serous cells; IV: centroacinar cells. C. Intercalated duct. D. Interlobular duct.


- **Nomenclature of malignant tumors**
- -malignant tumors arising in solid mesenchymal tissue: sarcoma .
- -sarcomas subdivided according to cell of origin: fibrosarcma, chondrosarcoma, leiomyosarcoma..

Blood neoplasms:

- mesenchymal cells of blood: leukemias and lymphoma
(NOTE: lymphoma , although ends with oma is malignant)

- malignant tumors of epithelial cells: carcinomas.
- carcinoma subdivided to adenocarcinoma (from glandular structures) and squamous cell carcinoma.. and other types

Carcinoma: malignant tumour arising from epithelial cells, in this case: squamous cells.



SARCOMA: malignant tumor originating from stromal cells, like bone.



The exceptions!!

- Melanoma
- Seminoma
- Lymphoma
- Mesothelioma
- Multiple myeloma
- These are malignant OMAs

Summary 1/3

- **Cancer is the second cause of death worldwide.**
- **One third of deaths from cancer are caused by obesity, physical inactivity, smoking, alcohol and low veg diet.**
- **Smoking is responsible for 20% of cancer deaths.**
- **Up to 50% of cancers are preventable.**
- **Environmental and genetic factors play a role in cancer development.**
- **Geographic variations in cancer incidence are related to environmental risk factors and variations in life style.**
- **Hereditary plays a role in cancer, mainly through inheriting a predisposition to cancer which needs environmental factors to develop.**
- **Rarely: there are inherited cancer syndromes.. we will mention these in details later.**
- **Risk of cancer increases with age.**
- **Cancer can occur in children with the commonest being: leukemias, lymphomas, CNS tumours, Sarcomas and bone tumours.**

Summary 2/3

- **Neoplasms are new growths with certain genetic changes. They can be benign or malignant.**
- **Benign tumors are localised, well circumscribed, can be easily excised surgically and have a good outcome.**
- **Malignant: invade and destroy adjacent tissue, can metastasize to distant sites and have a poor outcome.**
- **Benign tumors are named after the tissue they arise from with adding the suffix: oma.**
- **Malignant tumours arising from epithelial tissues are carcinomas whereas malignant ones arising from stromal tissue are sarcomas.**
- **However, there are important exceptions: Melanoma, Seminoma, Lymphoma, Mesothelioma and Multiple myeloma are malignant.**

Summary 3/3

- **Adenomas are benign neoplasms arising from glandular tissue OR forming glands.**
- **Hamartoma is a benign neoplasm characterised by haphazardly arranged tissue components endogenous to the tissue or organ they are arising from**
- **Choristomas are non-neoplastic, congenital proliferations of normal tissue in an abnormal location (ectopic tissue)**
- **Teratomas are tumours arising in the ovary or testis and show tissue components from the three germ cell lines in different combinations. Teratomas can be benign or malignant.**
- **Polyp is a macroscopic, not microscopic term, that refers to a projection above a mucosal surface. The majority are benign neoplasms but they could be non-neoplastic (inflammatory polyps) or malignant tumours with a polypoid appearance (mainly in the GIT)**

Thank you

Don't get
lost in the
detail

Look at
the bigger
picture