

? Q3

A lesion at the foramen ovale will most likely affect which nerve?

- A. V1
- B. V2
- C. V3
- D. CN VII

✔ Answer: C. V3 (Mandibular nerve)

💡 Ovale = MALE → V3 أهم

? Q4

The middle meningeal artery enters the skull through:

- A. Foramen lacerum
- B. Foramen ovale
- C. Foramen spinosum
- D. Optic canal

✔ Answer: C. Foramen spinosum

💡 مرتبط بـ epidural hematoma (سؤال كلاسيك جداً)

? Q5

Which division of the trigeminal nerve is purely sensory and passes through the foramen rotundum?

- A. V1
- B. V2
- C. V3
- D. None

Answer: B. V2

💡 V2 = sensory only + Rotundum → سؤال مباشر

? Q6

Which of the following is NOT a content of foramen ovale?

- A. Mandibular nerve
- B. Lesser petrosal nerve
- C. Accessory meningeal artery
- D. Middle meningeal artery

Answer: D. Middle meningeal artery

💡 هاي بتمر من spinosum → دكتور بحب يخرطك هون 😊

? Q7

Loss of sensation over the upper lip and cheek suggests damage to:

- A. V1
- B. V2
- C. V3
- D. Facial nerve

Answer: B. V2

mid-face = V2 منطقة 

? Q8

Which structure passes through the optic canal?

- A. CN III
- B. CN II
- C. V1
- D. V2

Answer: B. CN II

 + Ophthalmic artery (انتبه إذا كان Multiple answers)skit

? Q1

Which cranial nerves pass through the jugular foramen?

- A. VII, VIII
- B. IX, X, XI
- C. X, XI, XII
- D. VIII, IX, X

Answer: B

? Q2

A patient presents with loss of facial expression and hearing loss. The lesion is most likely at:

- A. Jugular foramen
- B. Internal acoustic meatus
- C. Foramen ovale
- D. Optic canal

Answer: B

💡 VII + VIII = نفس المكان

? Q3

The internal carotid artery enters the skull through:

- A. Foramen lacerum
- B. Carotid canal
- C. Jugular foramen
- D. Spinosum

Answer: B

? Q4 (Tricky 🤖)

Deviation of the tongue to one side indicates injury to:

- A. CN X
- B. CN XI
- C. CN XII
- D. CN IX

Answer: C (Hypoglossal)